



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent application of:

Applicant(s): William E. Luce

Examiner: Melanie Torres

Serial No: 10/671,425

Art Unit: 3683

Filed: September 25, 2003

Docket No. GRLGP0318USA

Title: AIRCRAFT SHOCK STRUT HAVING A FLUID LEVEL MONITOR

**REINSTATEMENT OF APPEAL FROM THE PRIMARY EXAMINER  
TO THE BOARD OF PATENT APPEALS AND INTERFERENCES**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the decision dated August 30, 2007 of the Primary Examiner, at least twice rejecting claims 2-17, 21 and 22.

The fee for filing a notice of appeal was previously paid and therefore it is believed that no further fee is due. In the event any additional fee is due, the Commissioner is authorized to charge any additional fee which may be required to Deposit Account No. 18-0988 under Docket No. GRLGP0318USA.

Respectfully submitted,

Don W. Bulson, Registration No. 28,192  
RENNER, OTTO, BOISSELLE & SKLAR, LLP  
1621 Euclid Ave. - 19th Floor  
Cleveland, Ohio 44115  
(216) 621-1113

CERTIFICATE OF MAILING (37 CFR 1.8a)

I hereby certify that this paper (along with any paper or thing referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: November 30, 2007

Don W. Bulson